

2017 American Daffodil Society Fall National Daffodil Show

Presented by

Southwest Ohio Daffodil Society



November 10, 11, 12, 2017
Fall Forum and Board Meeting
Crowne Plaza Blue Ash
5901 Pfeiffer Rd, Cincinnati, OH 45242
Cincinnati, Ohio
(513) 793-4500

The Public is invited. Admission is Free.
Saturday, Nov 11, 2017 — 1 PM to 5 PM
Sanctioned by the American Daffodil Society



FALL DAFFODIL SHOW RULES

GENERAL

1. **Entries may be made on Thursday, Nov 9 starting at 7:00 pm, and close on Friday, Nov. 10 at 4:00 pm.**
2. **Daffodils exhibited in this show may be grown in any manner.**
3. Entry cards for exhibits will be available at the show. Only the top half of the entry card needs to be filled in.
4. Irrespective of who stages the exhibit, the name of the exhibitor to be on the entry card is the person who grew the daffodils.
5. Entries, awards, and ribbons may not be removed until teardown.

EXHIBITS

6. Except where specified otherwise, all classes are open to anyone who grows daffodils.
7. An exhibitor may make as many entries as desired in any class provided each entry is a different cultivar or species or an entirely different set of cultivars and/or species.
8. Wedging material and containers for cut flower exhibits will be furnished by the show. Except for daffodils shown in their containers, no daffodil foliage is permitted.
9. **Sets** of multiple stems of cut flowers are to be exhibited with each bloom in a separate container.
10. **Unless the class definition specifically states otherwise,** (a) a container-shown exhibit of named cultivars must be composed of blooms of the same cultivar and **(b) a container-shown exhibit of seedlings must be composed of blooms from seeds from the same cross or open pollination.**

LABELING

11. Each cultivar or species must be correctly labeled with its name (or number) and division. For seedlings, the raiser's name must appear on the label except for seedlings shown by the raiser. The raiser is the person who first flowered a bulb of the seedling.
12. Exhibits that are not named or are incorrectly named will not be judged. Correct classification and labeling shall be the responsibility of the exhibitor.
13. No label may be changed, specimen added, removed, altered, or substituted after judging has begun or after an award has been placed.

INTERMEDIATES, MINIATURES, AND SEEDLINGS

14. An Intermediate daffodil is a standard daffodil in divisions 1, 2, 3, 4, or 11 having a single floret whose diameter is typically greater than 50 mm through 80 mm. Intermediate daffodils may be entered in classes for standard daffodils as well as classes reserved for Intermediate daffodils.
15. Miniature daffodils may be shown only in classes for miniatures. A Miniature daffodil is any cultivar on the current ADS Approved List of Miniatures, except as noted in the Historic section. Any named, numbered, or species daffodil which appears graceful, with all its parts proportionately small, may be exhibited in Miniatures classes and is eligible for all relevant ADS awards. The judges may decline to judge any exhibit containing an unapproved miniature that they consider too large for these classes.
16. Blooms of seedlings may be exhibited in all classes for named cultivars. All seedlings must be identified by a number designation assigned by the raiser. If the exhibitor is not the raiser, the name of the raiser must be included as part of the identification.

AWARDS

17. Each stem in an exhibit of cut flowers receiving an ADS Award must score 90 or more on the appropriate ADS Scale of Points.
18. Only one first, one second, and one third award may be given in each class. **Honorable Mention awards may also be given if merited.** First, second, third, and honorable mention awards may be withheld by the judges if in their opinion the exhibit is not worthy. If a blue ribbon (first place) has been awarded in a class eligible for an ADS ribbon, the ADS Award may not be withheld.
19. The decision of the judges is final. If an error is discovered in an exhibit, after completion of judging but before the show closes, any award placed thereon (ADS, Special, or Ribbon) shall be forfeited by the exhibitor **and the second-place entry, if worthy, given the award.** If an error is discovered before the judging is completed, the class must be rejudged.

MISCELLANEOUS

- 20. The Show Committee reserves the right to subdivide classes by cultivar or color code when there are three or more worthy exhibits of the same cultivar or color code and if a sufficient number of worthy exhibits is left in the class. Species may be subdivided by their botanical sections.
- 21. The Royal Horticultural Society System of Classification will be used. The labeling authority is *Daffodils to Show and Grow* as amended each year in the December ADS *Daffodil Journal* supplemented by the current information in the ADS Internet daffodil database, DaffSeek.org.
- 22. For miniature daffodils, both cut specimens and container grown, the judges will substitute "Form and Grace" for "Form." In exhibits of 3 of a kind, the judges may deduct up to 5 points for lack of uniformity.

ADS Point Scale for Judging Cut Specimens			
	Cultivar	Species	Historic
Condition	20	50	40
Form	25	15	15
Substance and Texture	15	10 (substance)	5
		5 (texture)	5
Color	15	10	15
Shape	15	5	5
Form		5	5
Label	10	0	10
TOTAL	100	100	100

ADS Scale of Points for Judging Container-Grown Exhibits	
Exhibit as a Whole	35
Uniformity with uniform development of each plant	20
Uniformity	10
Condition and correctness of container and label	5
Form	55
Condition	10
Form – typical of the cultivar	10
Substance and texture	10
Color	10
Shape	5
Form	5
Label – typical of the cultivar	5
Foliage	10
Condition of foliage	5
Color of foliage	5
TOTAL	100

SHOW COMMITTEE

- SHOW CHAIRMANSUZY WERT
- CLERKS.....SUE LUKEN
- PROPERTIESSUZY WERT/INDIANA DAFFODIL SOCIETY
- SCHEDULESUZY WERT
- AWARDS..... SUSAN LUKEN

DAFFODILS SHOWN AS CUT FLOWERS

Standard Daffodils

Open Classes

SECTION A – Single stem of a standard cultivar or species daffodil.

SECTION B – Three stems of a standard cultivar or species daffodil.

Division 1: Trumpet daffodil cultivars	A001	B001
Division 2: Large-cupped daffodil cultivars	A002	B002
Division 3: Small-cupped daffodil cultivars	A003	B003
Division 4: Double daffodil cultivars	A004	B004
Division 5: Triandrus hybrid daffodil cultivars	A005	B005
Division 6: Cyclamineus hybrid daffodil cultivars	A006	B006
Division 7: Jonquilla or apodanthe daffodil hybrid cultivars	A007	B007
Division 8: Tazetta hybrid daffodil cultivars - white perianth, white cup	A008	B008
Division 8: Tazetta hybrid daffodil cultivars - white perianth, yellow cup	A009	B009
Division 8: Tazetta hybrid daffodil cultivars - yellow perianth	A010	B010
Division 9: Poeticus hybrid daffodil cultivars	A011	B011
Division 10: Bulbocodium hybrid daffodil cultivars	A012	B012
Division 11: Split-cup daffodil cultivars	A013	B013
Division 12: Miscellaneous hybrid daffodil cultivars	A014	B014
Division 13: Species or wild-hybrid daffodils	A015	B015

Classic Daffodil Cultivars

Standard cultivars introduced from 1940 to 1969 inclusive. All cultivars shall be labeled with name, division number, and year of registration (or introduction). The date shown in the *International Daffodil Register and Classified List 2008* and its supplements will be the authority.

SECTION C – Single stem of a Classic daffodil

SECTION D - Three stems of a Classic daffodil

Cultivar from any Division	C001	D001
----------------------------	------	------

Standard Daffodil Sets of Three

Three different cultivars from the same Division	E001	
Three different American-bred cultivars (names of raisers on entry card)	E002	
Three different cultivars: either all pink-in-cup or all red/orange in cup	E003	
Three different cultivars: either all white or all yellow (green throat ok)	E004	
Three different cultivars raised by the exhibitor	E005	

Intermediate Daffodils

SECTION V – Single stem of an Intermediate daffodil

SECTION W - Three stems of an Intermediate daffodil

Any cultivar	V001	W001
--------------	------	------

Miniature Daffodils

Open Classes

SECTION M – Single stem of a miniature cultivar or species daffodil.

SECTION N – Three stems of a miniature cultivar or species daffodil.

Cultivar from Divisions 1 through 4	M001	N001
Cultivar from Division 5	M002	N002
Cultivar from Division 6	M003	N003
Cultivar from Division 7	M004	N004
Cultivar from Division 8	M005	N005
Cultivar from Division 9	M006	N006
Cultivar from Division 10	M007	N007
Cultivar from Division 11 or 12	M008	N008
Species	M009	N009

Miniature Daffodil Sets of Three

Three different cultivars from the same Division	F001	
Three different cultivars from different Divisions	F002	
Three different American-bred cultivars (names of raisers on entry card)	F003	
Three different cultivars: either all white or all yellow (green throat ok)	F004	
Three different cultivars: all green	F005	
Three different cultivars hybridized and raised by the exhibitor	F006	

Section G – Collections

Roberta Watrous Collection of twelve miniatures &/or species miniatures	G001	
---	------	--

Historic Daffodil Cultivars

Cultivars (i.e., not species) introduced or in gardens before 1940. Entries labeled with name, division number, and year of registration (or introduction). The earliest date shown in the *International Daffodil Register and Classified List 2008* and its supplements will be the authority. Miniature daffodils registered or known to exist prior to 1940, but removed from the ADS Miniature List over time by the Miniature Committee, shall be eligible for entry in the Historic Section classes for Miniatures--and ONLY in the Historic Section. They are eligible for all Historic Awards.

SECTION H – Single stem of an Historic daffodil

SECTION I - Three stems of an Historic daffodil

Standard daffodil	H001	I001
Miniature daffodil	H002	I002

Small Grower Exhibits

Open to exhibitors growing 50 or fewer cultivars and/or species.

SECTION J – Single stem of a cultivar or species daffodil.

SECTION K – Three stems of a cultivar or species daffodil.

Standard cultivar or species	J001	K001
Miniature cultivar or species	J002	K002

Youth Exhibits

Exhibitors (need not be the stager of the exhibit) of 18 years or younger.

SECTION Y – Single stem of a cultivar or species daffodil.

SECTION Z – Three stems of a cultivar or species daffodil.

Standard cultivar or species	Y001	Z001
Miniature cultivar or species	Y002	Z002

DAFFODILS SHOWN GROWING IN CONTAINERS

Blooms are to be exhibited growing in a container or pot. Unless stated otherwise in the class description, all blooms in the container shall be of the same cultivar or species.

SECTION P – Single stem or two stems of a standard cultivar or species daffodil.

SECTION Q – Multiple stems of a standard cultivar or species daffodil.

Cultivar from Divisions 1 through 3	P001	Q001
Cultivar from Division 4	P002	Q002
Cultivar from Division 5	P003	Q003
Cultivar from Division 6	P004	Q004
Cultivar from Division 7	P005	Q005
Cultivar from Division 8 – white perianth	P006	Q006
Cultivar from Division 8 – yellow perianth	P007	Q007
Cultivar from Division 9	P008	Q008
Cultivar from Division 10	P009	Q009
Cultivar from Division 11 or 12	P010	Q010
Species	P011	Q011

SECTION R – Single stem or two stems of a miniature cultivar or species daffodil.

SECTION S – Multiple stems of a miniature cultivar or species daffodil.

Cultivar from Divisions 1 through 3	R001	S001
Cultivar from Division 4	R002	S002
Cultivar from Division 5	R003	S003
Cultivar from Division 6	R004	S004
Cultivar from Division 7	R005	S005
Cultivar from Division 8	R006	S006
Cultivar from Division 9	R007	S007
Cultivar from Division 10	R008	S008
Cultivar from Division 11 or 12	R009	S009
Species	R010	S010

SECTION T – More than one cultivar or species in a container.

Standard cultivars	T001
Miniature cultivars or species	T002
Seedlings by the raiser from the same cross or open pollination	T003

AMERICAN DAFFODIL SOCIETY FALL-SHOW AWARDS

Gold Ribbon: Best standard cultivar or species in the cut-flower classes.

White Ribbon: Best three stems in the cut-flower classes of one standard cultivar or species.

Fall Rose Ribbon: Best standard seedling exhibited by its raiser.

Fall Purple Ribbon: Best set of three different standard cultivars or species.

Fall Red-White-Blue Ribbon: Best set of three different standard cultivars of American breeding or origin.

Miniature Gold Ribbon: Best miniature cultivar or species in the cut-flower classes .

Miniature White Ribbon: Best three stems of the same miniature cultivar or species in the cut-flower classes.

Intermediate Ribbon: Best Intermediate sized cultivar in Intermediate section, standard SET classes, or any standard entry in Youth or Small Grower sections.

Fall Miniature Rose Ribbon: Best miniature seedling exhibited by its raiser.

Fall Lavender Ribbon: Best set of three different miniature cultivars and/or species.

Fall Miniature Red-White-Blue Ribbon: Best set of three different miniature cultivars of American breeding.

Three Miniatures by Hybridizer Ribbon: Best exhibit of three different cultivars of miniature daffodils, any divisions, hybridized and raised by the exhibitor.

Youth Ribbon: Best cultivar or species exhibited in the Youth Section.

Small Growers Ribbon: Best cultivar or species exhibited in the Small Growers Section.

Historic Bloom Ribbon: Best pre-1940 cultivar in the Historic Section.

Historic Best of Three Ribbon: Best three stems of one pre-1940 cultivar, standard or miniature, in the Historic Section.

Best Classic Ribbon: Best standard cultivar from the Classic Section.

Best Classic Three-Stem Ribbon: Best three stems of one classic standard cultivar in the Classic Section.

Standard Container-Shown Ribbon: Best standard container-grown named or seedling daffodil exhibit in the Container-Shown Section.

Miniature Container-Shown Ribbon: Best miniature container-grown named or seedling daffodil exhibit in the Container-Shown Section.

Species/Species Hybrid Container-Shown Ribbon: Best species/species hybrid container-grown daffodil exhibit in Container-Shown Section.

Silver Ribbon: Awarded to the exhibitor winning the most first place (blue) ribbons.

Join the American Daffodil Society

For further information, contact
ADS Executive Director
Frank Nyikos
1956gardener@gmail.com
8374 E. State Rd. 45, Unionville, IN 47468
Phone: 812-360-6242
(Leave phone message; texting is welcomed)

ADS Websites:
daffodilusa.org
daffodilusastore.org
daffseek.org
daffnet.org
dafflibrary.org
dafftube.org

ROYAL HORTICULTURAL SOCIETY SYSTEM OF CLASSIFICATION

For garden purposes, daffodils are classified in 13 divisions where the division number specifies the form and the letters (color code) specify the colors. For example:

1 W-Y = a trumpet daffodil with white perianth segments (“petals”) and yellow corona (“trumpet”).

2 Y-YYO = a large-cupped daffodil, all yellow except for a band of orange at corona (“cup”) rim.

11b W-O/Y/W = a papillon daffodil with white perianth segments and longitudinal bands of orange, yellow and white in the corona, with orange predominant.

Whether of wild or cultivated origin, once a selection has been distinguished by a cultivar name, it should be assigned to Divisions 1–12. Daffodils distinguished solely by botanical name should be assigned to Division 13. The characteristics for Divisions 5 to 10 are given for guidance only; they are not all necessarily expected to be present in every cultivar assigned to those divisions.

DIVISION 1 — TRUMPET DAFFODIL CULTIVARS.

One flower to a stem; corona (“trumpet”) as long as or longer than the perianth segments (“petals”).

DIVISION 2 — LARGE-CUPPED DAFFODIL CULTIVARS

One flower to a stem; corona (“cup”) more than one-third, but less than equal to the length of the perianth segments (“petals”).

DIVISION 3 — SMALL-CUPPED DAFFODIL CULTIVARS

One flower to a stem; corona (“cup”) not more than one-third the length of the perianth segments (“petals”).

DIVISION 4 — DOUBLE DAFFODIL CULTIVARS

One or more flowers to a stem, with doubling of the perianth segments or the corona or both.

DIVISION 5 — TRIANDRUS DAFFODIL CULTIVARS

Characteristics of *N. triandrus* clearly evident; usually two or more pendent flowers to a stem; perianth segments reflexed.

DIVISION 6 — CYCLAMINEUS DAFFODIL CULTIVARS

Characteristics of *N. cyclamineus* clearly evident: one flower to a stem; perianth segments significantly reflexed; flower at an acute angle to the stem, with a very short pedicel (“neck”).

DIVISION 7 — JONQUILLA AND APODANTHUS CULTIVARS

Characteristics of Sections Jonquilla or Apodanthi clearly evident: one to five (rarely eight) flowers to a stem; perianth segments spreading or reflexed; corona cup-shaped, funnel-shaped, or flared, usually wider than long; flowers usually fragrant.

DIVISION 8 — TAZETTA DAFFODIL CULTIVARS

Characteristics of Section Tazettae clearly evident: usually three to twenty flowers to a stout stem; perianth segments spreading, not reflexed; flowers usually fragrant.

DIVISION 9 — POETICUS DAFFODIL CULTIVARS

Characteristics of *N. poeticus* and related species clearly evident; perianth segments pure white; corona very short or disc-shaped, not more than one-fifth the length of the perianth segments; corona usually with a green and/or yellow center and red rim, but sometimes wholly or partly of other colors; anthers usually set at two distinct levels; flowers fragrant.

DIVISION 10 — BULBOCODIUM DAFFODIL CULTIVARS

Characteristics of Section Bulbocodium clearly evident: usually one flower to a stem; perianth segments insignificant compared with the dominant corona; anthers dorsifixed (i.e., attached more or less centrally to the filament); filament and style usually curved.

DIVISION 11 — SPLIT-CORONA DAFFODIL CULTIVARS

Corona split – usually for more than half its length.

a) Collar Daffodils. Split-corona daffodils with the corona segments opposite the perianth segments; the corona segments usually in two whorls of three.

b) Papillon Daffodils. Split-corona daffodils with the corona segments alternate to the perianth segments; the corona segments usually in a single whorl of six.

DIVISION 12 — OTHER DAFFODIL CULTIVARS

Daffodil cultivars which do not fit the definition of any other division.

SECTION TAPEINANTHUS

Autumn flowering; one to four flowers to a rounded stem; leaves very narrow, glaucous, not always present on flowering bulbs; flower ascending, yellow; corona absent or rudimentary; anthers widely exerted from the tube, much shorter than the filaments, dorsifixed.

SECTION SEROTINI

Autumn flowering; usually one to two flowers to a rounded stem; leaves very narrow, glaucous, not always present on flowering bulbs; perianth segments pure white, usually twisted; corona very short, yellow, orange, or green; anthers included in or slightly exerted from the tube, longer than the filaments, dorsifixed; flowers fragrant.

SECTION AURELIA

Autumn flowering; three to twelve flowers to a compressed stem; leaves flat, not channeled, glaucous; flowers white; corona rudimentary or absent; filaments unequal in length; anthers exerted from the tube, dorsifixed; flowers fragrant.

SECTION TAZETTAE

Autumn to spring flowering; three (rarely two) to twenty flowers to a usually compressed stem; leaves flat or channeled, usually glaucous; flowers white, yellow, or bicolored; anthers included in or slightly exerted from the tube, much longer than the filaments, dorsifixed; flowers fragrant. The rounded stem and green leaves of *N. aureus* atypical, also the orange corona of *N. elegans*.

SECTION NARCISSUS

Spring flowering; usually one flower (exceptionally two to four) to a compressed stem; leaves flat, not channeled, glaucous; perianth segments pure white; corona disc-shaped or very shallow, sometimes of a single color, but usually with base green, mid-zone yellow, and rim red or orange and often scarious; anthers partly exerted from the tube, much longer than the filaments, dorsifixed; flowers fragrant. This section covers *N. poeticus*.

SECTION JONQUILLA

Spring flowering; one to five (rarely eight) flowers to a rounded stem; leaves narrow or semi-cylindrical, green; flowers yellow, never white; perianth segments spreading or reflexed; corona usually cup-shaped, usually wider than long; anthers included in or partly exerted from the tube, much longer than the filaments, dorsifixed; flowers fragrant. The autumn flowering, green-flowered *N. viridiflorus* is atypical.

SECTION APODANTHI

Spring flowering; one flower or two to five to a somewhat compressed stem; leaves narrow, channeled, glaucous; flowers white or yellow, never bicolored; perianth segments spreading or slightly reflexed; corona cup-shaped, funnel-shaped, or flared, usually wider than long; anthers included in the tube, or three included and three exerted, much longer than the filaments, dorsifixed.

SECTION GANYMEDES

Spring flowering; one flower or two to six to an elliptical or cylindrical stem; flowers pendent, white, yellow, or somewhat bicolored; leaves flat or semi-cylindrical; perianth segments reflexed; corona cup-shaped (rarely campanulate); anthers three included in the tube, three exerted (often beyond the corona), equal to or much shorter than the filaments, dorsifixed. This section covers *N. triandrus*.

SECTION BULBOCODIUM

Autumn to spring flowering; one flower to a rounded stem; leaves narrow, semi-cylindrical; flowers white or yellow; perianth segments insignificant compared with the dominant corona; anthers widely exerted from the tube (often beyond the corona), much shorter than the filaments (which are usually curved), dorsifixed.

SECTION PSEUDONARCISSUS

Spring flowering; usually one flower to a more or less compressed or sometimes rounded stem; leaves flat or channeled, usually glaucous; flowers white, yellow, or bicolored; perianth segments usually spreading or inflexed; corona more or less cylindrical, often flared at mouth, yellow or white (never orange or red); anthers exerted from the tube, equal to or shorter than the filaments, sub-basifixed. The green leaves, rounded stem, and strongly reflexed perianth segments of *N. cyclamineus* and the two to four flowers to a stem of *N. longispatus* and *N. nevadensis* are atypical.

WILD HYBRIDS

Natural hybrids distinguished by botanical names are also assigned to this division.