

TICKNOR
2814 GREENWAY BLVD.
FALLS CHURCH, VIRGINIA 22042

see page 42

ALPINE
AND
ROCK PLANTS

CAMPANA
HARDY PLANT
NURSERY

84 TOMES ROAD,
PAPANUI,
CHRISTCHURCH, 5.

There are many non-daffodil plants offered in this catalog, both bulbs and bedding plants. However, only those pages relating to daffodils have been scanned for inclusion here.

CAMPANA HARDY PLANT NURSERY

The Home of Unusual Plants

84 TOMES ROAD — PAPANUI — CHRISTCHURCH, 5

Telephone 529-803

TO OUR CUSTOMERS

Please write Name and Address in Capitals, giving Railway Station or Post Office.

State how you wish your order to be sent.

Carriage charged at nett cost on all Plants and Roots, except where otherwise stated.

Money Orders to be made payable at Christchurch.

We believe every plant sent out to be true to name, and in the event of a mistake will at once replace. Such mistakes must occasionally occur, especially in the case of plants from seed. All plants are sent out well rooted, and in good condition to go at once into their permanent quarters; and we cannot hold ourselves responsible for failure in cultivation.

The NURSERY is situated at 84 TOMES ROAD, PAPANUI (off Papanui Road). Visitors may take No. 1 bus to Tomes Road, or Mays Road bus to Terminus, thence walk a few chains west to Scotson Avenue, down which to Tomes Road, then turn right to Nursery.

Business Hours:

Monday to Saturday (inclusive) 9 a.m.-12 noon, 1 p.m.-5 p.m.

Visitors are welcome to inspect the Nursery excepting Sundays and Public Holidays.

POSTAL RATES

The following is a guide only to the postal rates charged by the Post Office.

	South Island	Wgtn., Hawke's Bay	Auckland Province	Air
0 lb— 2 lb 15 oz	29c	33c	37c	40c
3 lb— 6 lb 15 oz	37c	42c	53c	64c
7 lb—13 lb 15 oz	53c	68c	90c	\$1.12
14 lb—20 lb 15 oz	77c	\$1.06	\$1.43	\$1.78
21 lb—28 lb	95c	\$1.20	\$1.87	\$2.38

SUBSTITUTES

Although no plant is offered which was not in stock in adequate numbers when this list was made up some varieties are, however, invariably sold out before others, and we should be obliged if customers would give a few alternatives when ordering. We reserve the right to substitute at our discretion when no instructions to the contrary are given.

MORAEA

- *Glaucopsis*. Well-known blue and white Peacock Iris (*Iris pavonia*). Sun. 10c. Oct.-Nov.
- *Tripetala*. A delightful narrow petalled mauve-violet flowered gem. (6ins.) Full sun. Fully booked. 35c. Oct.-Nov.

NARCISSUS

- *Bulbocodium, Conspicuum*. A very free flowering reliable variety of the Hoop Petticoats. Full sun. 10c. Aug.-Sept.
- *Romicuxii*. Flowers smaller than the Hoop Petticoats, rich golden yellow. Stamens and style long-exserted. Early flowering. Full sun. 25c. July-Aug.
- *Cantabricus, sub. sps. monophyllus*. Creamy white becoming pure white flowers with wide open-mouthed, slightly pleated corona. (6ins.) Full sun. 20c. May-June
- *var. Clusii*. Differs from *Monophyllus* flowers larger and clearer white. (6ins.) Full sun. 45c. July-Aug.
- *Jessamy*. Similar to *Nylon* but flowers, larger, flatter, often scalloped and with more substance. (6ins.) Full sun. 35c. July-Aug.
- *var. Nylon*. Smaller flowers than *Clusii* and more creamy, especially when first opening. (6ins.) Full sun. 15c. July-Aug.
- *var. Poplin*. Very lovely large flowers, deep yellow with good substance and long flowering. (6ins.) Full sun. 75c. May-July
- *Jonquilla florepno*. Queen Anne's Jonquil. Double-flowered form of the well-known Jonquil. Moist soil. 25c. Sept.-Oct.
- *Juncifolius*. Thin rush-like leaves and wiry-stemmed flowers, often 3-5 per stem. (6ins.) Full sun. 25c. Sept.-Oct.
- *Minor pumilus*. True little dwarf trumpet daffodil. (4ins.) Sun. 45c. Sept.-Oct.
- *Triandrus albus Angels Tears*. Flowers one to six on 6-12in. stems. Soft creamy white with reflexed petals. Sun. 75c. Sept.-Oct.
- *April Tears*. Similar to *Angels Tears* but colour more lemon-yellow. Sun. 75c. Sept.-Oct.
- *Watieri*. Single pure white flowers with small curiously flattened corona. (8ins.) Full sun. 85c. Sept.
- *var. Tweeny*. Flower larger than *Watieri* itself and with corona lemon-yellow. (8ins.) Full sun. 50c. Sept.
- *var. Xit*. Similar in all ways to *Watieri* except larger in all flower parts. (8ins.) Full sun. 50c. Sept.

ROMULEA

- *Alba*. Long coarse rush-like foliage. Flowers large glistening white which show up well despite flower stem being shorter than foliage. (6ins.) Full sun. 12c. Oct.-Dec.
- *Bulbocodium*. Small cup-shaped bright violet flowers with yellow base. (3-4ins.) Light soil. 10c. Sept.
- *Hartungii*. Bright violet-purple flowers with yellow base. Less cup-shaped and petals more pointed than *Bulbocodium*. (6ins.) Light soil. 10c. Aug.
- *Sabulosa*. By far the most spectacular of the family. Huge brick-red flowers opening to show large blackish blotch. (6ins.) Full sun. 12c. Aug.

SANDERSONIA

- *Aurantiaca*. Wiry 12-18in. stems with narrow lily-like leaves. Flowers urn-shaped, orange, in pendulous heads. Light soil, part shade. Jan.-Feb.

SCILLA

- *Bifolia*. A very lovely deep blue flower blooming often a week to ten days earlier than the *Chinodoxa*. 8c. Aug.-Sept.
- *Chilensis*. Dense racemes of rose-coloured flowers arising on strong stems before the leaves. Light soil, part shade. 20c. Feb.-Mar.
- *Siberica Spring Beauty*. Deep blue nodding flowers with a darker blue stripe down the centre of the outer petals. Very striking. Cool. 8c. Aug.-Sept.
- *Taurica*. Lighter blue than *Spring Beauty* and will usually begin to flower earlier. Cool. 8c. Fully booked. July-Aug.
- *Verna*. Very narrow dark green leaves appear before the flowers.

- — **var. Joyce.** Sky-blue, orange marked ridge on falls. 35c. Aug.
- — **var. J. S. Dijt.** Similar colour to above, flower larger, blotches not such intense colour. (6ins.) 20c. Aug.
- — **var. Pauline.** Purple-violet with white blotch. 35c. Aug.
- — **var. Springtime.** Similar to Clairette but paler over all 35c. Aug.
- **Sindpers.** Habit of growth similar to Bucharica but foliage stiffer and blue-green. Flowers large soft blue with greenish tinge. (12ins.) Sunny, sheltered position in light soil. \$1.05. Aug.-Sept.
- **Tuberosa (Hermodactylus tuberosus).** Lime-green with velvety-black blotch on falls. (12ins.) 15c. Aug.-Sept.

IXIA

- **Viridiflora.** Striking green. (12ins.) 10c. Oct.-Nov.

LILIUM

- **Martagon.** Flowers nodding 1-1½ins. deep with strongly recurved petals. Colours vary from white to purplish-red. Mixed colours only. (12-18ins.) 65c. Jan.-Feb.

LEUCOJUM

- **Autumnalis (Acis autumnalis).** Dainty white miniature bells tinted pink, two or three flowers on slender wiry stems. (6ins.) Sun. 5c. Feb.-Mar.

MELASPHAERULA

- **Graminea.** A plant with graceful habit producing a profusion of long lasting papery pale yellow flowers. Bulbs naturally very small. (6-12ins.) Full sun. 15c. Sept.-Nov.

MERENDERA

- **Sobolifera.** Tiny corms produce in early spring a six-petalled wisp of rosy-lilac bloom somewhat like a miniature of their close cousins, the Colchicum. Cool soil, sun.

MORAEA

- **Glaucopsis.** Well-known blue and white Peacock Iris (Iris pavonia). Sun. 10c. Oct.-Nov.
- **Tripetala.** A delightful narrow petalled mauve-violet flowered gem. (6ins.) Full sun. Fully booked. 35c. Oct.-Nov.

NARCISSUS

- **Bulbocodium, Conspicuum.** A very free flowering reliable variety of the Hoop Petticoats. Full sun. 10c. Aug.-Sept.
- — **Romiceuxii.** Flowers smaller than the Hoop Petticoats, rich golden yellow. Stamens and style long-exserted. Early flowering. Full sun. 25c. July-Aug.
- **Cantabricus, sub. sps. monophyllus.** Creamy white becoming pure white flowers with wide open-mouthed, slightly pleated corona. (6ins.) Full sun. 20c. May-June
- — **var. Clusii.** Differs from Monophyllus flowers larger and clearer white. (6ins.) Full sun. 45c. July-Aug.
- — **Jessamy.** Similar to Nylon but flowers, larger, flatter, often scalloped and with more substance. (6ins.) Full sun. 35c. July-Aug.
- — **var. Nylon.** Smaller flowers than Clusii and more creamy, especially when first opening. (6ins.) Full sun. 15c. July-Aug.
- — **var. Poplin.** Very lovely large flowers, deep yellow with good substance and long flowering. (6ins.) Full sun. 75c. May-July
- **Jonquilla florepeno.** Queen Anne's Jonquil. Double-flowered form of the well-known Jonquil. Moist soil. 25c. Sept.-Oct.
- **Juncifollius.** Thin rush-like leaves and wiry-stemmed flowers, often 3-5 per stem. (6ins.) Full sun. 25c. Sept.-Oct.
- **Minor pumilus.** True little dwarf trumpet daffodil. (4ins.) Sun. 45c. Sept.-Oct.

- **Triandrus albus Angels Tears.** Flowers one to six on 6-12in. stems. Soft creamy white with reflexed petals. Sun. 75c. Sept.-Oct.
- — **April Tears.** Similar to Angels Tears but colour more lemon-yellow. Sun. 75c. Sept.-Oct.
- **Watieri.** Single pure white flowers with small curiously flattened corona. (8ins.) Full sun. 85c. Sept.
- — **var. Tweeny.** Flower larger than Watieri itself and with corona lemon-yellow. (8ins.) Full sun. 50c. Sept.
- — **var. Xit.** Similar in all ways to Watieri except larger in all flower parts. (8ins.) Full sun. 50c. Sept.

ROMULEA

- **Alba.** Long coarse rush-like foliage. Flowers large glistening white which show up well despite flower stem being shorter than foliage. (6ins.) Full sun. 12c. Oct.-Dec.
- **Bulbocodium.** Small cup-shaped bright violet flowers with yellow base. (3-4ins.) Light soil. 10c. Sept.
- **Hartungii.** Bright violet-purple flowers with yellow base. Less cup-shaped and petals more pointed than Bulbocodium. (6ins.) Light soil. 10c. Aug.
- **Sabulosa.** By far the most spectacular of the family. Huge brick-red flowers opening to show large blackish blotch. (6ins.) Full sun. 12c. Aug.

SANDERSONIA

- **Aurantiaca.** Wiry 12-18in. stems with narrow lily-like leaves. Flowers urn-shaped, orange, in pendulous heads. Light soil, part shade. Jan.-Feb.

SCILLA

- **Bifolia.** A very lovely deep blue flower blooming often a week to ten days earlier than the Chinadoxa. 8c. Aug.-Sept.
- **Chilensis.** Dense racemes of rose-coloured flowers arising on strong stems before the leaves. Light soil, part shade. 20c. Feb.-Mar.
- **Siberica Spring Beauty.** Deep blue nodding flowers with a darker blue stripe down the centre of the outer petals. Very striking. Cool. 8c. Aug.-Sept.
- — **Taurica.** Lighter blue than Spring Beauty and will usually begin to flower earlier. Cool. 8c. Fully booked. July-Aug.
- **Verna.** Very narrow dark green leaves appear before the flowers. Flowers small, bright blue, 6-12 per stem. Not always easy to flower. Cool. 20c. Oct.-Nov.

STERNBERGIA

- **Lutca.** Bright butter, crocus-like flowers appearing before the foliage. Good drainage. (4-6ins.) Sun. 10c. Feb.-Mar.

SYRINGODEA

- **Species.** A most delightful clear, bright, yellow crocus like flower from South Africa. (2ins.) Full sun. 45c. Mar.-April

TULIPA

- **Batalinii.** Leaves grey-green, narrow, crinkled, edged with red and forming a neat rosette. Flowers solitary, buff-yellow on stout stems to 6ins. high. Sun. 55c. Sept.-Oct.
- — **Bronze Gem.** Similar to the species but with copper tinge through petals, deepening with age. Sun. 50c. Sept.-Oct.
- **Celsiana.** Leaves long, often twisting, forming a loose rosette. Flowers usually solitary but may have up to three on a strong stem to 6ins. high, butter yellow, bronze tinged on outer petals. Sun. 50c. Sept.-Oct.
- **Clusiana, var. Chrysantha.** Similar to Celsiana but leaves without twisting and more blue-green. Flowers smaller on graceful stems. A charmer. Sun. 30c. Sept.-Oct.