## Join the American Daffodil Society

For further information, contact Jaydee Ager ADS Executive Director PO Box 522 Hawkinsville GA 31036 (478) 783-2153 E-mail jager@cstel.net

## Join the Western Reserve Daffodil Society

For further information, contact
Daniel Bellinger
341 Akron Road
Wadsworth, Ohio 44281
(330) 608-4882
E-mail cuyahoga@neo.rr.com

# The Western Reserve Daffodil Society

presents

# The Cleveland Daffodil Show



Saturday, April 20, 2013 — 1 P.M. to 5 P.M. Sunday, April 21, 2013 — 12 P.M to 5 P.M

Cleveland Botanical Garden 11030 East Boulevard Cleveland OH 44106

#### **GENERAL RULES**

- 1. Entries may be made Saturday, April 20 from 5 A.M. until 11 A.M. All exhibitors must be off the floor by 11:15 A.M. This rule will be strictly enforced.
- 2. Entry cards for exhibits will be available at the show and may also be obtained in advance from the show chairman. Fill in both sections of the card.
- 3. Entries, awards, and ribbons may not be removed until 5 P.M. Sunday.

#### RULES FOR HORTICULTURAL EXHIBITS

#### **ENTRIES**

- 4. All classes are open to anyone who grows daffodils except where specified otherwise.
- 5. An exhibitor may make as many entries as desired in any class provided each entry is a different cultivar or species or an entirely different collection of cultivars and/or species.
- All blooms in the Horticultural Division must have been grown in the open by the exhibitor.
   Miniatures and daffodils grown and shown in their containers may be grown in protected areas.
- Wedging material and containers for cut flower exhibits will be furnished by the show committee.
   Except for daffodils grown and shown in their containers, no daffodil foliage is permitted.
- All collections of five or more stems must be exhibited with each cultivar or species in a separate container.

#### LABELING

- Each cultivar or species must be correctly labeled with name, division and color code.
   Originator's name must appear on the label in American bred classes except seedlings shown by the originator.
- Exhibits which are not named or are incorrectly named will not be judged. Correct classification
  and labeling shall be the responsibility of the exhibitor.
- No label may be changed, specimen added, removed, altered, or substituted after judging has begun or after an award has been placed.

#### INTERMEDIATES, MINIATURES, AND SEEDLINGS

- 12. An intermediate daffodil is a standard daffodil in divisions 1, 2, 3, 4, or 11 having a single floret whose diameter is typically between 1.5 and 3 inches. Intermediate daffodils may be entered in classes for standard daffodils as well as classes reserved for intermediate daffodils.
- 13. Miniature daffodils may be shown only in classes for miniatures. A miniature daffodil is any cultivar or species on the current ADS Approved List of Miniatures. Also, any named or numbered daffodil which appears graceful, with all its parts proportionately small, may be exhibited in Miniature classes and is eligible for all ADS awards, except that only numbered seedlings shown by the originator are eligible for the ADS Miniature Rose Ribbon. The judges may decline to judge any exhibit containing an unapproved miniature that they consider too large for these classes.
- 14. Blooms of seedlings may be exhibited in all classes for named cultivars. ALL SEEDLINGS MUST BE IDENTIFIED BY A NUMBER DESIGNATION ASSIGNED BY THE ORIGINATOR. If the exhibitor is not the originator, the name of the originator must be included as part of the identification.

#### **AWARDS**

- Each stem in an exhibit of cut flowers receiving an ADS Award must score 90 or more on the appropriate ADS Scale of Points.
- 16. Only one first, one second, and one third award may be given in each class. Honorable mention awards may also be given if merited but only if first, second, and third have been awarded. First, second, third, and honorable mention awards may be withheld by the judges if in their opinion the exhibit is not worthy. If a blue ribbon (first place) has been awarded in a class eligible for an ADS ribbon, the ADS Award may not be withheld.
- 17. The decision of the judges is final. If an error is discovered in an exhibit after completion of judging, any award placed thereon (ADS, Special, or Ribbon) shall be forfeited by the exhibitor. If an error is discovered before the judging is completed, the class must be rejudged.

#### MISCELLANEOUS

- 18. The Show Committee reserves the right to subdivide classes by cultivar or color code when there are three or more worthy exhibits of the same cultivar or color code and if a sufficient number of worthy exhibits is left in the class. Species may be subdivided by their botanical sections.
- 19. The Royal Horticultural Society System of Classification will be used. The labeling authority is Daffodils to Show and Grow as amended each year in the December ADS Daffodil Journal supplemented by the Daffseek tool on the American Daffodil Society website.

#### SCALE OF POINTS FOR JUDGING CUT DAFFODILS

CONDITION	25
FORM	
SUBSTANCE AND TEXTURE	15
COLOR	15
POSE & STEM	15
SIZE	10

When judging miniature daffodils, substitute form and grace for form. Judges may deduct up to five points for lack of uniformity in judging vases of three stems of daffodils of one cultivar or species.

# SCALE OF POINTS FOR JUDGING CONTAINER-GROWN DAFFODILS

EXHIBIT AS A WHOLE	35
Symmetry with Uniform Development	
Floriferousness	
Condition and Correctness of Container and Label5	
BLOOM	55
Condition	
Form According to Cultivar/Species/Species Hybrid 10	
Substance and Texture	
Color	
Pose	
Stem	
Size	
FOLIAGE	10
Condition5	
Color	

#### SCALE OF POINTS FOR JUDGING SPECIES

CONDITION	50
FORM	15
SUBSTANCE	
COLOR	
TEXTURE	
POSE	
STEM	

#### HORTICULTURAL DIVISION

**SECTION A** — Single stem, standard daffodil

**SECTION B** — Three stems, one standard cultivar or species daffodil

**SECTION C** — Collection of five different standard cultivars and/or species, one stem each

**SECTION D** — Single stem, miniature daffodil

**SECTION E** — Three stems, one miniature cultivar or species daffodil

**SECTION F** — Single stem, seedling standard daffodil, grown and exhibited by the originator only, with his/her designated number, classification and parentage (if known). See Rule 14.

The words "pink cup," etc., define classes where that color is solid, 2W-P, or present in two adjacent zones, 2W-GPP. The words, "pink in cup," etc., are used for classes that include **both** solid and rimmed cups of the same color. "Colored" is any color other than white.

	A	В	C	D	$\mathbf{E}$	$\mathbf{F}$
DIVISION 1 — TRUMPET DAFFODIL			113	124	137	150
Yellow perianth, yellow, orange, or red trumpet	1	57				
Yellow perianth, trumpet mostly white or pink	2	58				
White perianth, yellow or orange in trumpet	3	59				
White perianth, pink in cup	4	60				
White perianth, white trumpet	5	61				
DIVISION 2 — LARGE-CUPPED DAFFODIL			114	125	138	151
CULTIVARS						
Orange perianth, orange or red cup	6	62				
Yellow perianth, yellow cup	7	63				
Yellow perianth, orange or red in cup	8	64				
Yellow perianth, pink in cup	9	65				
Yellow perianth, cup mostly white	10	66				
White perianth, yellow in cup	11	67				
White perianth, orange or red cup	12	68				
White perianth, orange or red rimmed cup	13	69				
White perianth, pink cup	14	70				
White perianth, pink rimmed cup	15	71				
White perianth, white cup	16	72				
DIVISION 3 — SMALL-CUPPED DAFFODIL			115	126	139	152
CULTIVARS						
Orange perianth, orange or red cup	17	73				
Yellow perianth, yellow cup	18	74				
Yellow perianth, orange or red cup	19	75				
Yellow perianth, orange or red rimmed cup	20	76				
Yellow perianth, cup mostly white or pink	21	77				
White perianth, yellow in cup	22	78				
White perianth, orange or red cup	23	79				
White perianth, orange or red rimmed cup	24	80				
White perianth, white cup or pink in cup	25	81				
DIVISION 4 — DOUBLE DAFFODIL CULTIVARS			116	127	140	153
Colored perianth, one bloom to stem	26	82				
White perianth, one bloom to stem	27	83				
Any color, two or more blooms to stem	28	84				

DIVISION 5 — TRIANDRUS DAFFODIL CULTIVARS	A	В	<b>C</b> 117	<b>D</b> 128	<b>E</b> 141	<b>F</b> 154
Yellow perianth, yellow or white cup Yellow perianth, orange or red cup White perianth, colored cup White perianth, white cup	29 30 31 32	85 86 87 88				
DIVISION 6 — CYCLAMINEUS DAFFODIL CULTIVARS Yellow perianth, yellow cup Yellow perianth, orange or red cup Yellow perianth, cup mostly white or pink in cup White perianth, yellow or orange in cup White perianth, pink in cup White perianth, white cup	33 34 35 36 37 38	89 90 91 92 93 94	118	129	142	155
DIVISION 7 — JONQUILLA AND APODANTHUS DAFFODIL CULTIVARS  Colored perianth, orange or red in cup Yellow perianth, yellow cup Yellow perianth, orange or red in cup Yellow perianth, cup mostly white White perianth, yellow or orange in cup White perianth, pink in cup White perianth, white cup	39 40 41 42 43 44 45	95 96 97 98 99 100 101	119	130	143	156
DIVISION 8 — TAZETTA DAFFODIL CULTIVARS Yellow perianth, colored cup White perianth, colored cup White perianth, white cup	46 47 48	102 103 104	120	131	144	157
DIVISION 9 — POETICUS DAFFODIL White perianth, eye green White perianth, eye other than green	49 50	105 106	121	132	145	158
DIVISION 10 — BULBOCODIUM DAFFODIL CULTIVARS	51	107	_	133	146	_
DIVISION 11 – SPLIT-CORONA DAFFODIL CULTIVARS  Collar daffodil, colored perianth, one bloom to stem Collar daffodil, white perianth, one bloom to stem Papillon Daffodil, any color	52 53 54	108 109 110	122	134	147	159
DIVISION 12 - OTHER DAFFODIL CULTIVARS	55	111	_	135	148	160
DIVISION 13 — DAFFODILS DISTINGUISHED SOLELY BY BOTANICAL NAME (may be subdivided by section)	56	112	123	136	149	_

SECTION G — C	ONTAINER-GROWN DAFFODILS  Blooms are to be grown in and exhibited in a container or pot. All bulbs in any one container shall be of the same cultivar or species. Container-grown daffodils may be grown in protected areas. No bloom or exhibit in this section shall be eligible for any ADS award other than the ADS awards for container-grown daffodils. Rule #18 is extended to permit subdividing classes by daffodil division.
Class 161	Standard daffodils – (named) cultivars or seedlings (no species).
Class 162	Miniature daffodils – (named) cultivars or seedlings (no species).
Class 163	Species and species hybrid daffodils. Both standards and miniatures are permitted.
SECTION H — H	ISTORIC DAFFODILS  This section is open to all cultivars
	(i.e., not species) introduced or in gardens before 1940. All cultivars shall be
	labeled with name, color code, and year of registration (or introduction) as listed
	in the ADS Daffodil Data Bank. No bloom in this section shall be eligible for any
	ADS award other than the ADS ribbon for Pre-1940 Cultivar. Rule #18 is
	extended to permit subdividing Classes 164 to 168 by registration date and Class 169 by division or registration date
Class 164	Single stem of standard daffodil, registered or introduced 1930-1939
Class 165	
	Single stem of standard daffodil, registered or introduced 1920-1929
Class 166	Single stem of standard daffodil, registered or introduced 1910-1919
Class 167	Single stem of standard daffodil, registered or introduced 1900-1909
Class 168	Single stem of standard daffodil, registered or introduced 1899 or earlier
Class 169	Single stem of miniature cultivar, any division
Class 170	Collection of 5 different standard cultivars
SECTION I — SIN	NGLE AND THREE STEM INTERMEDIATE CLASSES
Class 171	One intermediate stem, Division 1
Class 172	One intermediate stem, Division 2
Class 173	One intermediate stem, Division 3
Class 174	One intermediate stem, Division 4
Class 175	One intermediate stem, Division 11
Class 177	Three intermediate stems of one cultivar, Division 1
Class 178	Three intermediate stems of one cultivar, Division 2
Class 179	Three intermediate stems of one cultivar, Division 3
Class 180	Three intermediate stems of one cultivar, Division 4
Class 181	Three intermediate stems of one cultivar, Division 11
	Note: see Class 200 for 5 Intermediate Stem Collection
SECTION J — JU	NIOR DIVISION Exhibitors 18 years of age or younger. Junior exhibitors are
	not restricted to this section; they may elect to enter other sections for which they qualify.
Class 183	One standard stem, Division 1
Class 184	One standard stem, Division 2
Class 185	One standard stem, Division 3
Class 186	One standard stem, Division 4
Class 187	One standard stem, Division 5
Class 188	One standard stem, Division 6
Class 189	One standard stem, Division 7
Class 190	One standard stem, Division 8 or 9.
Class 191	One standard stem, Division 10,11,12, or 13.
Class 192	Three standard stems of one cultivar or species, any division. This class is eligible
	for the ADS Junior Set of Three Ribbon.
Class 193	One stem any miniature daffodil
Class 194	Three stems of one miniature cultivar or species, any division. This class is
	eligible for the ADS Junior Set of Three Ribbon.
Class 195.	Five standard stems from any division. This class is eligible for the ADS Junior Set of Five Ribbon.
	Det 01 1 1 to 1000011.

SECTION K — S'	TANDARD DAFFODIL COLLECTIONS One stem each of standard cultivars
SECTION K—S	or species from any division(s) individually labeled.
Class 196	Pink cupped daffodils, 5 cultivars.
Class 197	White daffodils, 5 cultivars.
Class 198	Green-eyed daffodils, 5 cultivars.
Class 199	Red and/or orange cupped daffodils, 5 cultivars.
Class 200	Intermediate sized daffodils from RHS Divisions 1, 2, 3, 4, or 11, 5 single floreted
	cultivars. Bloom is normally between 1.5 and 3 inches in diameter. This class is
	eligible for the ADS Purple Ribbon.
Class 201	Daffodils of English, Scotch, Welsh or Cornish breeding, 5 cultivars.
Class 202	Daffodils of Irish or Northern Irish breeding, 5 cultivars.
` Class 203	Daffodils of Continental European breeding, 5 cultivars.
Class 204	Daffodils of New Zealand breeding, 5 cultivars.
Class 205	Daffodils of Australian breeding, 5 cultivars.
Class 206	Daffodils bred in the United States of America, 5 cultivars. See rule #9. This class
	is eligible for the ADS Red-White-Blue Ribbon.
Class 207	Colored perianth, cup predominantly white, 5 cultivars. This class is eligible for
	the ADS Maroon Ribbon.
Class 208.	Three stems each of six cultivars of white daffodils.
Class 209	Twelve cultivars and/or species from not less than 4 divisions. This class is
	eligible for the ADS Marie Bozievich Ribbon.
Class 210	Twelve cultivars and/or species from not less than 3 divisions of Divisions 5
	through 10. This class is eligible for the ADS Elise Havens Ribbon.
Class 211	Fifteen cultivars and/or species from fifteen different RHS classifications.
	COLOR CODE IS REQUIRED. This class is eligible for the ADS Throckmorton
	Ribbon.

# $\label{eq:collection} \mbox{the Quinn Ribbon}.$ SECTION L — MINIATURE DAFFODIL COLLECTIONS

Class 212

Class 213	Five cultivars, seedlings, or species, one stem each. This class is eligible for the
	ADS Lavender Ribbon.

Twenty-four cultivars and/or species from at least five RHS divisions. This class is open to ADS members only. This class is eligible for the ADS Quinn Ribbon. First time winners may receive the Silver Quinn Medal. Former winners receive

- Class 214 Five cultivars or seedlings of American breeding, one stem each. See Rule #9.
  This class is eligible for the ADS Miniature Red-White-Blue Ribbon.
- Class 215 Nine cultivars and/or species of miniature daffodils from at least three RHS divisions. This class is eligible for the ADS Delia Bankhead Ribbon.
- Class 216 Twelve cultivars and/or species of miniature daffodils from at least three RHS divisions. This class is open to ADS members only. This class is eligible for the ADS Watrous Ribbon. First time winners may receive the Silver Watrous Medal. Former winners receive the Watrous Ribbon.

#### AMERICAN DAFFODIL SOCIETY AWARDS

**Gold Ribbon:** Best standard daffodil in Horticultural Division, excluding Container-Grown and Historic Sections.

White Ribbon: Best three stems of standard daffodils.

**Rose Ribbon:** Best standard seedling exhibited by its originator.

Purple Ribbon: Best collection of five different standard daffodils in Classes 113-123 and 196-206.

**Red-White-Blue Ribbon:** Best collection of five different standard cultivars, one stem each, of American breeding (Class 207).

**Maroon Ribbon:** Best collection of five different standard cultivars, one steam each, colored perianth, cup paler than perianth, any division or divisions (Class 208).

Marie Bozievich Ribbon: Best collection of twelve different cultivars and/or species of standard daffodils from at least four RHS divisions (Class 209).

**Elise Havens Ribbon:** Best collection of twelve different cultivars of standard daffodils from no less than three RHS divisions of Divisions 5 through 10 (Class 210).

**Throckmorton Ribbon:** Best collection of fifteen cultivars and/or species of standard daffodils from fifteen different RHS classifications (Class 211).

**Quinn Award:** Silver Medal or Ribbon for a collection of twenty-four different cultivars and/or species of standard daffodils from at least five divisions. The medal may be won only once by any exhibitor in all ADS shows where offered. A former winner may exhibit in this class but may receive only the Quinn Ribbon. Open only to ADS members. (Class 212).

**Miniature Gold Ribbon:** Best miniature daffodil in Horticultural Division, excluding Container-Grown and Historic Sections.

Miniature White Ribbon: Best three stems of miniature daffodils.

Miniature Rose Ribbon: Best miniature seedling exhibited by its originator.

**Lavender Ribbon:** Best collection of five miniature daffodils excluding entries for the Miniature Red-White-Blue Ribbon (Class 213).

**Miniature Red-White-Blue Ribbon:** Best collection of five different miniature cultivars, one stem each of American breeding (Class 214).

**Delia Bankhead Ribbon:** Best collection of nine different miniature cultivars and/or species of miniature daffodils from at least three RHS divisions.

**Roberta C. Watrous Award:** Silver Medal or Ribbon for a collection of twelve different cultivars and/or species of miniature daffodils from at least three RHS divisions. This medal may be won only once by any exhibitor in all ADS shows where offered. A former winner may exhibit in this class but may receive only the Watrous Ribbon. Open only to ADS members (Class 216).

Junior Best of Show Ribbon: Best standard daffodil exhibited in the Junior Section.

**Junior Best Set of Three Ribbon:** Best vase of three stems of standard or miniature daffodils exhibited in the Junior Section (Class 194).

Junior Best Set of Five Ribbon: Best set of five stems of standard daffodils exhibited in Class 195.

**Standard Container-Grown Ribbon:** Best standard container-grown named or seedling daffodil exhibit in the Container-Grown Section.

Miniature Container-Grown Ribbon: Best miniature container-grown named or seedling daffodil exhibit in the Container-Grown Section.

Species/Species Hybrid Container-Grown Ribbon: Best species/species hybrid container-grown daffodil exhibit in Container-Grown Section.

**Historic Daffodil Ribbon:** Best pre-1940 cultivar in Historic Section.

Intermediate Ribbon: Best intermediate daffodil from Sections I, K and J.

**Silver Ribbon:** Awarded to the exhibitor winning the most first place (blue) ribbons in the Horticultural Division.

#### ROYAL HORTICULTURAL SOCIETY SYSTEM OF CLASSIFICATION

For garden purposes, daffodils are classified in 13 divisions where the division number specifies the form and the letters (color code) specify the colors. For example:

1 W-Y = a trumpet daffodil with white perianth segments ("petals") and yellow corona ("trumpet").

2 Y-YYO = a large-cupped daffodil, all yellow except for a band of orange at corona ("cup") rim.

11b W-O/Y/W = a papillon daffodil with white perianth segments and longitudinal bands of orange, yellow and white in the corona, with orange predominant.

Whether of wild or cultivated origin, once a selection has been distinguished by a cultivar name, it should be assigned to Divisions 1–12. Daffodils distinguished solely by botanical name should be assigned to Division 13.

The characteristics for Divisions 5 to 10 are given for guidance only; they are not all necessarily expected to be present in every cultivar assigned to those divisions.

#### DIVISION 1 — TRUMPET DAFFODIL CULTIVARS.

One flower to a stem; corona ("trumpet") as long as or longer than the perianth segments ("petals").

#### DIVISION 2 — LARGE-CUPPED DAFFODIL CULTIVARS

One flower to a stem; corona ("cup") more than one-third, but less than equal to the length of the perianth segments ("petals").

#### DIVISION 3 — SMALL-CUPPED DAFFODIL CULTIVARS

One flower to a stem; corona ("cup") not more than one-third the length of the perianth segments ("petals").

#### DIVISION 4 — DOUBLE DAFFODIL CULTIVARS

One or more flowers to a stem, with doubling of the perianth segments or the corona or both.

#### DIVISION 5 — TRIANDRUS DAFFODIL CULTIVARS

Characteristics of *N. triandrus* clearly evident; usually two or more pendent flowers to a stem; perianth segments reflexed.

#### DIVISION 6 — CYCLAMINEUS DAFFODIL CULTIVARS

Characteristics of *N. cyclamineus* clearly evident: one flower to a stem; perianth segments significantly reflexed; flower at an acute angle to the stem, with a very short pedicel ("neck").

#### DIVISION 7 — JONQUILLA AND APODANTHUS CULTIVARS

Characteristics of Sections Jonquilla or Apodanthi clearly evident: one to five (rarely eight) flowers to a stem; perianth segments spreading or reflexed; corona cup-shaped, funnel-shaped, or flared, usually wider than long; flowers usually fragrant.

#### DIVISION 8 — TAZETTA DAFFODIL CULTIVARS

Characteristics of Section Tazettae clearly evident: usually three to twenty flowers to a stout stem; perianth segments spreading, not reflexed; flowers usually fragrant.

#### **DIVISION 9 — POETICUS DAFFODIL CULTIVARS**

Characteristics of the *N. poeticus* group: usually one flower to a stem; perianth segments pure white; corona very short or disc-shaped, usually with a green and/or yellow center and a red rim, but sometimes of a single color; flowers usually fragrant.

#### ${\bf DIVISION~10-BULBOCODIUM~DAFFODIL~CULTIVARS}$

Characteristics of Section Bulbocodium clearly evident:: usually one flower to a stem; perianth segments insignificant compared with the dominant corona; anthers dorsifixed (i.e., attached more or less centrally to the filament); filament and style usually curved.

#### DIVISION 11 — SPLIT-CORONA DAFFODIL CULTIVARS

Corona split – usually for more than half its length.

a) Collar Daffodils. Split-corona daffodils with the corona segments opposite the perianth segments; the corona segments usually in two whorls of three.

b) Papillon Daffodils. Split-corona daffodils with the corona segments alternate to the perianth segments; the corona segments usually in a single whorl of six.

#### DIVISION 12 — OTHER DAFFODIL CULTIVARS

Daffodil cultivars which do not fit the definition of any other division.

#### DIVISION 13 — DAFFODILS DISTINGUISHED SOLELY BY BOTANICAL NAME

#### SECTION TAPEINANTHUS

Autumn flowering; one to four flowers to a rounded stem; leaves very narrow, glaucous, not always present on flowering bulbs; flower ascending, yellow; corona absent or rudimentary; anthers widely exserted from the tube, much shorter than the filaments, dorsifixed.

#### SECTION SEROTINI

Autumn flowering; usually one to two flowers to a rounded stem; leaves very narrow, glaucous, not always present on flowering bulbs; perianth segments pure white, usually twisted; corona very short, yellow, orange, or green; anthers included in or slightly exserted from the tube, longer than the filaments, dorsifixed; flowers fragrant.

#### SECTION AURELIA

Autumn flowering; three to twelve flowers to a compressed stem; leaves flat, not channeled, glaucous; flowers white; corona rudimentary or absent; filaments unequal in length; anthers exserted from the tube, dorsifixed; flowers fragrant.

#### SECTION TAZETTAE

Autumn to spring flowering; three (rarely two) to twenty flowers to a usually compressed stem; leaves flat or channeled, usually glaucous; flowers white, yellow, or bicolored; anthers included in or slightly exserted from the tube, much longer than the filaments, dorsifixed; flowers fragrant. The rounded stem and green leaves of *N. aureus* atypical, also the orange corona of *N. elegans*.

#### SECTION NARCISSUS

Spring flowering; usually one flower (exceptionally two to four) to a compressed stem; leaves flat, not channeled, glaucous; perianth segments pure white; corona disc-shaped or very shallow, sometimes of a single color, but usually with base green, mid-zone yellow, and rim red or orange and often scarious; anthers partly exserted from the tube, much longer than the filaments, dorsifixed; flowers fragrant. This section covers *N. poeticus*.

#### SECTION JONQUILLA

Spring flowering; one to five (rarely eight) flowers to a rounded stem; leaves narrow or semi-cylindrical, green; flowers yellow, never white; perianth segments spreading or reflexed; corona usually cup-shaped, usually wider than long; anthers included in or partly exserted from the tube, much longer than the filaments, dorsifixed; flowers fragrant. The autumn flowering, greenflowered *N. viridiflorus* is atypical.

#### SECTION APODANTHI

Spring flowering; one flower or two to five to a somewhat compressed stem; leaves narrow, channeled, glaucous; flowers white or yellow, never bicolored; perianth segments spreading or slightly reflexed; corona cup-shaped, funnel-shaped, or flared, usually wider than long; anthers included in the tube, or three included and three exserted, much longer than the filaments, dorsifixed.

#### SECTION GANYMEDES

Spring flowering; one flower or two to six to an elliptical or cylindrical stem; flowers pendent, white, yellow, or somewhat bicolored; leaves flat or semi-cylindrical; perianth segments reflexed; corona cup-shaped (rarely campanulate); anthers three included in the tube, three exserted (often beyond the corona), equal to or much shorter than the filaments, dorsifixed. *N. triandrus*.

#### SECTION BULBOCODIUM

Autumn to spring flowering; one flower to a rounded stem; leaves narrow, semi-cylindrical; flowers white or yellow; perianth segments insignificant compared with the dominant corona; anthers widely exserted from the tube (often beyond the corona), much shorter than the filaments (which are usually curved), dorsifixed.

#### SECTION PSEUDONARCISSUS

Spring flowering; usually one flower to a more or less compressed or sometimes rounded stem; leaves flat or channeled, usually glaucous; flowers white, yellow, or bicolored; perianth segments usually spreading or inflexed; corona more or less cylindrical, often flared at mouth, yellow or white (never orange or red); anthers exserted from the tube, equal to or shorter than the filaments, sub-basifixed. The green leaves, rounded stem, and strongly reflexed perianth segments of *N. cyclamineus* and the two to four flowers to a stem of *N. longispathus* and *N. nevadensis* are atypical.

#### WILD HYBRIDS

Natural hybrids distinguished by botanical names are also assigned to this division.